

YOU DESERVE



4FT VAPOR TIGHT V4


PRODUCT OVERVIEW

Presenting our new Vapor Tight fixture, upgraded in every way. Customize your lighting experience by choosing your colour temperature between 3500K, 4000K and 5000K and also power selectable. With its sleek surface mount linear design, it seamlessly integrates into any space, making it an ideal linear light for ceilings.

ARANI 4ft Vapor Tight V4

Electrical Characteristics	<ul style="list-style-type: none">• Input Voltage: 120-347Vac 60Hz• Power Selectable: 30W/38W/46W• Power Factor: >0.9
IP Rating	<ul style="list-style-type: none">• IP66: Suitable for wet locations
IK Rating	<ul style="list-style-type: none">• IK10: Durable and high strength impact resistance; ensure a robust and resilient luminaire
Length	<ul style="list-style-type: none">• 4ft
Colour Rendering Index	<ul style="list-style-type: none">• +80
Colour Temperature	<ul style="list-style-type: none">• CCT Selectable: 3500K/4000K/5000K
Beam Spread	<ul style="list-style-type: none">• 117.6°
TDH	<ul style="list-style-type: none">• <20%
Operating Temperatures	<ul style="list-style-type: none">• -40°C to 40°C
Dimmable	<ul style="list-style-type: none">• 0-10V
Materials	<ul style="list-style-type: none">• Polycarbonate body• Polycarbonate lens• Stainless Steel Spring Clips
Codes & Standards	<ul style="list-style-type: none">• ETL• DLC Premium• NSF• NEMA 4X 
Lifetime	<ul style="list-style-type: none">• 50 000 hours
Flame Rating	<ul style="list-style-type: none">• UL94-V0 Rated
Warranty	<ul style="list-style-type: none">• 5 years

PRODUCT DIMENSIONS



Date:	Project:
Prepared for:	Type:
Comments:	

PRODUCT DETAILS



UNIFORM LIGHTING

The frosted lens provides a uniform linear light, completely dot-free.

HANDS-FREE EXPERIENCE

The last 2 clips on one side stay attached to allow a hands-free experience.

VERSATILE WIRING OPTIONS

Knockouts on both sides allow chain-mounting. Unwanted knockouts can be easily sealed with the included accessories.

MAXIMUM ACCESSIBILITY

The days of using a screwdriver to lift the circuit board are over. Simply press on the clips and lift by the handle.

ORDERING INFORMATION

Series	Input Voltage	Rated Power	Rated Lumen Output at 46W	Colour Temperature	Product ID	Model Number	Ordering Code
4ft Vapor Tight V4	120-347Vac	30W	5980lm	Selectable 3500K 4000K 5000K	Standard: S-IMLOSE Premium: S-SZ4NY6	VPT0046W-4VTMDHV13P3CK-V4	VT48-30W-46W-VAR-V4
		38W					
		46W					



Date:	Project:
Prepared for:	Type:
Comments:	

PAST PROJECTS




Underground Parking




Supermarket



Car Wash



Garage



Warehouse

