

Projet: **Type:**

Gradateur 0-10V DC - Decora

The SpecLite 0-10VDC dimmer is an essential accessory for controlling the light intensity of your 0-10V dimmable luminaires. This dimmer provides precise and smooth brightness control, allowing you to adjust the lighting to suit your specific needs. Ideal for commercial and industrial environments, it ensures maximum flexibility in optimizing your lighting.

CARACTERISTICS

- Maximum load of 720W on 120VAC 6A or 831W on 277VAC 3A.
- Compatibility: Designed to work with all 0-10V, 1-10V, and PWM 0-100% dimmable fixtures, offering wide application flexibility.
- Three-way Adjustment: Allows two dimmers to control the same set of lights, ideal for environments that require precise lighting management.
- Custom Adjustment: Equipped with a dial to adjust the dimming range, allowing the lighting to be tailored to specific needs.



NOMENCLATURE

SERIE	VER.
ZZ	

Accessories

PHOTOMETRIC SPECIFICATIONS

LUMENS	0
CCT	
ANGLE	
C.R.I.	
DIMMABLE	
PHOTOCELL	
SENSOR	
LUMEN MAINTENANCE L70	
LED TYPE	
LED QTY	
LED VOLTAGE	
LED MAX CURRENT	
FLICKER	

MECHANICAL SPECIFICATIONS

HOUSING MATERIAL	
HOUSING FINISH	
LENS MATERIAL	
LENS FINISH	
WEIGHT	0.05 KG
OPERATING TEMP.	
APPLICATION	Accessory
INSTALLATION	

ELECTRICAL SPECIFICATIONS

REAL POWER	W
VOLTAGE	
EFFICIENCY	lm/w
POWER FACTOR	%
T.H.D	
FREQUENCY	


CERTIFICATIONS

REGULATORY LISTING	
EFFICIENCY LISTING	
DLC ID	
FCC	
BARCODE	882110005201
ENVIRONMENTAL	
IK PROTECTION	
SURGE PROTECTION WITH GROUNDING	
SURGE PROTECTION WITHOUT GROUNDING	

CABLE LENGTH

N/A


DIMENSIONS



PACKAGING

DIMENSION INNER CARTON	DIMENSION OUTER CARTON	QUANTITY MASTER	MASTER WEIGHT	PALLET QUANTITY
6.00 cm X 6.00 cm X 12.00 cm 2 3/8 " X 2 3/8 " X 4 3/4 "	38.00 cm X 26.00 cm X 32.00 cm 15 " X 10 1/4 " X 12 5/8 "	6	7.64 kg 16.84 lbs	288 

PRODUCTS IMAGES



SPECLITE.CA | INFO@SPECLITE.CA | TEL: 1-855-533-8818
HEADQUARTER: 600-1111 BOUL. DR.-FREDERICK-PHILIPS MONTREAL, QC H4M 2X6
WAREHOUSE: 1710 AUTOROUTE TRANSCANADIENNE, DORVAL, QC, H9P 2X7