

Projet:	Type:	Qté:
---------	-------	------

Éclairage d'Urgence Centralisé - Simple Tête

The single-head remote emergency light is an efficient and cost-effective solution for emergency corridor lighting. Compatible with a 3.6V to 24V DC power supply, these compact models are designed for smaller spaces requiring a single lighting point. It mounts directly onto a junction box and is powered by the centralized emergency system (emergency battery). Its rugged ABS housing and clear PMMA lens ensure optimal durability and performance in indoor environments. It provides increased visibility even in emergency situations.

CARACTERISTICS

- Adjustable aiming angle with horizontal and vertical swivel.
- Compact and robust design: Durable ABS construction with a PMMA lens, ideal for confined spaces requiring a single light source.
- Simple installation: Mounts directly onto a junction box, simplifying installation in corridors and small spaces.
- Large range of options: single-head 2W or 5W, and double-head 2W (2x2W) or 10W (2x5W).



NOMENCLATURE

SERIE	VER.
ZZ	
Accessories	

PHOTOMETRIC SPECIFICATIONS

LUMENS	90
CCT	6500K
ANGLE	40°
C.R.I.	80
DIMMABLE	N/A
PHOTOCELL	N/A
SENSOR	N/A
LUMEN MAINTENANCE L70	N/A
LED TYPE	SMD 2385
LED QTY	3
LED VOLTAGE	3.2V
LED MAX CURRENT	150mA
FLICKER	Flicker-Free

MECHANICAL SPECIFICATIONS

HOUSING MATERIAL	ABS
HOUSING FINISH	White
LENS MATERIAL	PMMA
LENS FINISH	Clear
WEIGHT	0.30 KG
OPERATING TEMP.	-40°C ~ 40°C

ELECTRICAL SPECIFICATIONS


REAL POWER	2 W
VOLTAGE	3.6-24V DC
EFFICIENCY	45 lm/w
POWER FACTOR	0.7 %
T.H.D	
FREQUENCY	50/60Hz

CERTIFICATIONS

REGULATORY LISTING	cUL
EFFICIENCY LISTING	N/A
DLC ID	
FCC	
BARCODE	882110006093
ENVIRONMENTAL	IP20
IK PROTECTION	N/A
SURGE PROTECTION WITH GROUNDING	
SURGE PROTECTION WITHOUT GROUNDING	

APPLICATION	Indoor
INSTALLATION	Surface Mount
CABLE LENGTH	N/A

DIMENSIONS



PACKAGING

DIMENSION INNER CARTON	DIMENSION OUTER CARTON	QUANTITY MASTER	MASTER WEIGHT	PALLET QUANTITY
14.00 cm X 13.00 cm X 8.00 cm	44.20 cm X 40.80 cm X 35.20 cm	36	11.80 kg	648 
5 1/2 " X 5 1/8 " X 3 1/8 "	17 3/8 " X 16 1/8 " X 13 7/8 "		26.01 lbs	

PRODUCTS IMAGES



SPECLITE.CA | INFO@SPECLITE.CA | TEL: 1-855-533-8818
HEADQUARTER: 600-1111 BOUL. DR.-FREDERICK-PHILIPS MONTRÉAL, QC H4M 2X6
WAREHOUSE: 1710 AUTOROUTE TRANSCANADIENNE, DORVAL, QC, H9P 2X7