

**Projet:** \_\_\_\_\_ **Type:** \_\_\_\_\_

**Emergency Light battery w/ double head 2X2W steel 120-347V 120 mins**

Speclite emergency lights are constructed from durable thermoplastic or steel, making them lightweight and impact-resistant. They are certified for commercial and industrial applications and are compatible with any voltage between 120V and 347V. We offer a comprehensive range of emergency products that will meet all the needs of your industry.

**CHARACTERISTICS**

- **Emergency Lighting:** Integrated battery ensuring 30 minutes (with a 150W load) of runtime during a power outage.
- **Multiple Capacity:** Designed to power multiple emergency lights and satellite beacons simultaneously.
- **Compact and Sturdy Design:** Durable steel construction, optimized for demanding industrial environments.
- **Easy Installation:** Electrical wires for connection to a wall socket sold separately.



**NOMENCLATURE**

SERIE	LIGHT TYPE	MATERIAL	CASING COLOUR	VOLTAGE	BATTERY RUNTIME	EMERGENCY POWER	BATTERY TYPE	OPTIONS	VER.
EM	B2	S	W	F	12	15	L	0	BY
Emergency light	battery w/ double head 2X2W	steel	white	120-347V	120 mins	150W 30mins	Lead acid		BY

**PHOTOMETRIC SPECIFICATIONS**

LUMENS	200
CCT	6000-7000K
ANGLE	39.1
C.R.I.	80
DIMMABLE	N/A
PHOTOCELL	N/A
SENSOR	N/A
LUMEN MAINTENANCE L70	N/A
LED TYPE	SMD 2835
LED QTY	6
LED VOLTAGE	3.2V
LED MAX CURRENT	150mA
FLICKER	

**MECHANICAL SPECIFICATIONS**

HOUSING MATERIAL	Steel
HOUSING FINISH	White
LENS MATERIAL	Polycarbonate
LENS FINISH	Clear
WEIGHT	6.90 KG
OPERATING TEMP.	-10°C ~ 40°C
APPLICATION	Indoor

**ELECTRICAL SPECIFICATIONS**


REAL POWER	21 W
VOLTAGE	120-347V
EFFICIENCY	9.52 lm/w
POWER FACTOR	0.7 %
T.H.D	
FREQUENCY	

**CERTIFICATIONS**

REGULATORY LISTING	cUL
EFFICIENCY LISTING	N/A
DLC ID	
FCC	
BARCODE	882110008257
ENVIRONMENTAL	
IK PROTECTION	
SURGE PROTECTION WITH GROUNDING	1KV
SURGE PROTECTION WITHOUT GROUNDING	0.5KV

<b>INSTALLATION</b>	Wall Mount
<b>CABLE LENGTH</b>	N/A

## DIMENSIONS



## PACKAGING

DIMENSION INNER CARTON	DIMENSION OUTER CARTON	QUANTITY MASTER	MASTER WEIGHT	PALLET QUANTITY
40.30 cm X 14.00 cm X 35.50 cm 15 7/8 " X 5 1/2 " X 14 "	42.50 cm X 30.00 cm X 37.50 cm 16 3/4 " X 11 3/4 " X 14 3/4 "	2	15.40 kg 33.95 lbs	36 

## PRODUCTS IMAGES



SPECLITE.CA | INFO@SPECLITE.CA | TEL: 1-855-533-8818  
**HEADQUARTER:** 600-1111 BOUL. DR.-FREDERICK-PHILIPS MONTRÉAL, QC H4M 2X6  
**WAREHOUSE:** 1710 AUTOROUTE TRANSCANADIENNE, DORVAL, QC, H9P 2X7