

Projet: _____ **Type:** _____ **Qté:** _____

Marine Light 40-36-30-25-20W 120-347V 3000-4000-5000-5700-6500K

The SpecLite Marine Globe is designed to provide the most cost-effective solution for your agricultural building. With its solid and compact structure, it withstands all conditions. Its high light output reduces your energy consumption while maximizing the illumination of your installation. The dimmable version from 0 to 10V, compatible with source/sync signals, adapts perfectly to the specific needs of any project. Certified NEMA 4X, this fixture is ideal for demanding agricultural environments. The SpecLite Marine Globe is the ultimate agricultural lighting solution.



CARACTERISTICS

- Specifically designed for agricultural livestock buildings, it provides optimized lighting suited for the most demanding environments (NEMA 4X certified).
- Quick installation with its included junction box, featuring two entries for 3/4" PVC conduits and two entries for 1/2" PVC conduits.
- 0-10V Dimming: Adjust the light intensity down to 10% for precise lighting control based on your needs.
- DLC Premium Certified: Eligible for subsidies to optimize the return on your lighting investments.

NOMENCLATURE

SERIE	DIMENSIONS	LENS	BODY COLOUR	VOLTAGE	CCT	MAX POWER	OPTIONS 1	OPTIONS 2	VER.
LF	12	S	W	F	C	040	D	0	AL
Linear fixture	1x2'	stripe	white	120-347V	3000-4000-5000-5700-6500K	40-36-30-25-20W	dim 1-10V		AL

PHOTOMETRIC SPECIFICATIONS

LUMENS	0
CCT	
ANGLE	
C.R.I.	
DIMMABLE	
PHOTOCELL	
SENSOR	
LUMEN MAINTENANCE L70	
LED TYPE	
LED QTY	
LED VOLTAGE	
LED MAX CURRENT	
FLICKER	

MECHANICAL SPECIFICATIONS

HOUSING MATERIAL	
HOUSING FINISH	
LENS MATERIAL	
LENS FINISH	
WEIGHT	0.00 KG
OPERATING TEMP.	

ELECTRICAL SPECIFICATIONS

REAL POWER	W
VOLTAGE	120-347V
EFFICIENCY	lm/w
POWER FACTOR	%
T.H.D	
FREQUENCY	

CERTIFICATIONS

REGULATORY LISTING	
EFFICIENCY LISTING	
DLC ID	
FCC	
BARCODE	0
ENVIRONMENTAL	
IK PROTECTION	
SURGE PROTECTION WITH GROUNDING	
SURGE PROTECTION WITHOUT GROUNDING	

APPLICATION	
INSTALLATION	
CABLE LENGTH	N/A

DIMENSIONS



PACKAGING

DIMENSION INNER CARTON	DIMENSION OUTER CARTON	QUANTITY MASTER	MASTER WEIGHT	PALLET QUANTITY
N/A	N/A	N/A	0.00 kg 0.00 lbs	

PRODUCTS IMAGES

No Product images

SPECLITE.CA | INFO@SPECLITE.CA | TEL: 1-855-533-8818
HEADQUARTER: 600-1111 BOUL. DR.-FREDERICK-PHILIPS MONTRÉAL, QC H4M 2X6
WAREHOUSE: 1710 AUTOROUTE TRANSCANADIENNE, DORVAL, QC, H9P 2X7