

Projet:	Type:	Qté:
----------------	--------------	-------------

Wall Pack Full Cutoff Adjustable NA NA NA

The SpecLite Full Cutoff Wall Pack is a robust and versatile outdoor lighting solution, ideal for the most demanding outdoor environments. Available in two versions, a fixed 20W model and an adjustable 80W model, which can be set down to 20W, it perfectly adapts to the specific needs of each project. Its color temperature (CCT: 3000K, 4000K, 5000K) and lighting angle are also adjustable, offering optimal flexibility during installation. Made from cast aluminum, this wall pack is resistant to corrosion and impacts, ensuring exceptional durability. Additionally, it is equipped with an integrated photocell that automatically adjusts the lighting based on ambient brightness, optimizing energy efficiency. The SpecLite wall pack guarantees reliable and long-lasting performance.



CARACTERISTICS

- Full Cutoff Design: Completely eliminates light pollution, providing targeted and optimal outdoor lighting. Compliant with "Dark Sky" requirements.
- Integrated photocell: Automates lighting based on ambient light, ensuring activation from dusk to dawn.
- High-end minimalist aesthetics: Sleek design that seamlessly integrates with any type of architectural project.
- DLC Premium Certified: Ensures maximum eligibility for subsidies while providing durable and reliable performance.

NOMENCLATURE

SERIE	VER.
NA	
NA	

PHOTOMETRIC SPECIFICATIONS

LUMENS	2,586
CCT	
ANGLE	
C.R.I.	
DIMMABLE	
PHOTOCELL	
SENSOR	
LUMEN MAINTENANCE L70	
LED TYPE	
LED QTY	
LED VOLTAGE	
LED MAX CURRENT	
FLICKER	

MECHANICAL SPECIFICATIONS

HOUSING MATERIAL	
HOUSING FINISH	
LENS MATERIAL	
LENS FINISH	
WEIGHT	0.00 KG

ELECTRICAL SPECIFICATIONS

REAL POWER	W
VOLTAGE	
EFFICIENCY	lm/w
POWER FACTOR	%
T.H.D	
FREQUENCY	

CERTIFICATIONS

REGULATORY LISTING	
EFFICIENCY LISTING	
DLC ID	P8QE56H0
FCC	
BARCODE	882110006482
ENVIRONMENTAL	
IK PROTECTION	
SURGE PROTECTION WITH GROUNDING	
SURGE PROTECTION WITHOUT GROUNDING	

OPERATING TEMP.	
APPLICATION	
INSTALLATION	
CABLE LENGTH	N/A

DIMENSIONS



PACKAGING

DIMENSION INNER CARTON	DIMENSION OUTER CARTON	QUANTITY MASTER	MASTER WEIGHT	PALLET QUANTITY
25.00 cm X 21.00 cm X 15.00 cm 9 7/8 " X 8 1/4 " X 5 7/8 "	N/A	N/A	2.00 kg 4.41 lbs	

PRODUCTS IMAGES

No Product images

SPECLITE.CA | INFO@SPECLITE.CA | TEL: 1-855-533-8818
HEADQUARTER: 600-1111 BOUL. DR.-FREDERICK-PHILIPS MONTRÉAL, QC H4M 2X6
WAREHOUSE: 1710 AUTOROUTE TRANSCANADIENNE, DORVAL, QC, H9P 2X7