

<b>Projet:</b>	<b>Type:</b>	<b>Qté:</b>
----------------	--------------	-------------

**Sports Light 1200-1000-800W 120-347V 5000K**

The SpecLite Sports Light is the optimal choice for all sports lighting applications, including stadiums, sports fields, and arenas. Configurable to suit your project, this LED fixture offers various options for light distribution, luminous flux, power voltage, mounting, and an integrated or remote driver. The fixture's lens minimizes glare for both players and spectators. Primarily constructed with aerospace-grade steel, the SpecLite Sports Light ensures durability and performance. Whether for a stadium or a sports field, this fixture provides optimal lighting and perfect visibility, essential for sporting events.



**CARACTERISTICS**

- DLC Premium certified to maximize energy savings.
- Visor and yoke mount included for easy installation.
- Made from aerospace-grade steel, ensuring strength and light weight (low EPA).
- Compatible with 120 to 347VAC and wattages selectable between 600W, 500W, 400W, and 300W.



**NOMENCLATURE**

SERIE	BEAM ANGLE	LENS	BODY COLOUR	VOLTAGE	CCT	MAX POWER	OPTIONS 1	OPTIONS 2	VER.
SA	25	C	B	F	5	M20	0	D	V2
Sports light	25°	clear	black	120-347V	5000K	1200-1000-800W	N/A	dim 0-10V	V2

**PHOTOMETRIC SPECIFICATIONS**

<b>LUMENS</b>	180,000
<b>CCT</b>	5000K
<b>ANGLE</b>	25°
<b>C.R.I.</b>	77
<b>DIMMABLE</b>	0-10V DC
<b>PHOTOCELL</b>	N/A
<b>SENSOR</b>	N/A
<b>LUMEN MAINTENANCE L70</b>	50,000 hrs
<b>LED TYPE</b>	SMD 5050
<b>LED QTY</b>	440
<b>LED VOLTAGE</b>	DC240V
<b>LED MAX CURRENT</b>	4.6A
<b>FLICKER</b>	Flicker-Free

**ELECTRICAL SPECIFICATIONS**

<b>REAL POWER</b>	1200 W
<b>VOLTAGE</b>	120-347V
<b>EFFICIENCY</b>	150 lm/w
<b>POWER FACTOR</b>	92 %
<b>T.H.D</b>	20 %
<b>FREQUENCY</b>	50/60Hz

**CERTIFICATIONS**

<b>REGULATORY LISTING</b>	cUL
<b>EFFICIENCY LISTING</b>	DLC Premium
<b>DLC ID</b>	
<b>FCC</b>	No
<b>BARCODE</b>	0
<b>ENVIRONMENTAL</b>	IP65
<b>IK PROTECTION</b>	IK10
<b>SURGE PROTECTION WITH GROUNDING</b>	10KV
<b>SURGE PROTECTION WITHOUT GROUNDING</b>	10KV

**MECHANICAL SPECIFICATIONS**



<b>HOUSING MATERIAL</b>	Die casting Aluminium
<b>HOUSING FINISH</b>	Black
<b>LENS MATERIAL</b>	Polycarbonate
<b>LENS FINISH</b>	Clear
<b>WEIGHT</b>	46.00 KG
<b>OPERATING TEMP.</b>	-40°C ~ 45°C
<b>APPLICATION</b>	Outdoor
<b>INSTALLATION</b>	Wall Mount

CABLE LENGTH

6'

---

## DIMENSIONS



## PACKAGING

DIMENSION INNER CARTON	DIMENSION OUTER CARTON	QUANTITY MASTER	MASTER WEIGHT	PALLET QUANTITY
59.30 cm X 57.60 cm X 44.80 cm	N/A	N/A	54.90 kg	8 
23 3/8 " X 22 5/8 " X 17 5/8 "			121.03 lbs	

## PRODUCTS IMAGES



SPECLITE.CA | INFO@SPECLITE.CA | TEL: 1-855-533-8818  
**HEADQUARTER:** 600-1111 BOUL. DR.-FREDERICK-PHILIPS MONTRÉAL, QC H4M 2X6  
**WAREHOUSE:** 1710 AUTOROUTE TRANSCANADIENNE, DORVAL, QC, H9P 2X7