

Projet:	Type:	Qté:
---------	-------	------

**Sports Light 600-500-400-300W 120-347V 5000K**

The SpecLite Sports Light is the optimal choice for all sports lighting applications, including stadiums, sports fields, and arenas. Configurable to suit your project, this LED fixture offers various options for light distribution, luminous flux, power voltage, mounting, and an integrated or remote driver. The fixture's lens minimizes glare for both players and spectators. Primarily constructed with aerospace-grade steel, the SpecLite Sports Light ensures durability and performance. Whether for a stadium or a sports field, this fixture provides optimal lighting and perfect visibility, essential for sporting events.



**CARACTERISTICS**

- DLC Premium certified to maximize energy savings.
- Visor and yoke mount included for easy installation.
- Made from aerospace-grade steel, ensuring strength and light weight (low EPA).
- Compatible with 120 to 347VAC and wattages selectable between 600W, 500W, 400W, and 300W.



**NOMENCLATURE**

SERIE	BEAM ANGLE	LENS	BODY COLOUR	VOLTAGE	CCT	MAX POWER	OPTIONS 1	OPTIONS 2	VER.
SA	40	C	B	F	5	600	0	D	V2
Sports light	40°	clear	black	120-347V	5000K	600-500-400-300W	N/A	dim 0-10V	V2

**PHOTOMETRIC SPECIFICATIONS**

LUMENS	90,461
CCT	5000K
ANGLE	40
C.R.I.	77
DIMMABLE	0-10V DC
PHOTOCELL	N/A
SENSOR	N/A
LUMEN MAINTENANCE L70	50,000 hrs
LED TYPE	SMD 2835
LED QTY	810
LED VOLTAGE	DC180-260V
LED MAX CURRENT	2.35A
FLICKER	Flicker-Free

**ELECTRICAL SPECIFICATIONS**

REAL POWER	596.7 W
VOLTAGE	120-347V
EFFICIENCY	151.6 lm/w
POWER FACTOR	93 %
T.H.D	14.3 %
FREQUENCY	50/60Hz

**CERTIFICATIONS**

REGULATORY LISTING	cUL
EFFICIENCY LISTING	DLC Premium
DLC ID	S-7L322G
FCC	
BARCODE	882110008295
ENVIRONMENTAL	IP66
IK PROTECTION	IK06
SURGE PROTECTION WITH GROUNDING	10KV
SURGE PROTECTION WITHOUT GROUNDING	10KV

**MECHANICAL SPECIFICATIONS**


HOUSING MATERIAL	Die casting Aluminium
HOUSING FINISH	Black
LENS MATERIAL	Polycarbonate
LENS FINISH	Clear
WEIGHT	9.70 KG
OPERATING TEMP.	-40°C ~ 45°C
APPLICATION	Outdoor
INSTALLATION	Wall Mount

CABLE LENGTH

6'

---

## DIMENSIONS



## PACKAGING

DIMENSION INNER CARTON	DIMENSION OUTER CARTON	QUANTITY MASTER	MASTER WEIGHT	PALLET QUANTITY
46.30 cm X 43.60 cm X 34.90 cm	N/A	N/A	13.60 kg	12
18 1/4 " X 17 1/8 " X 13 3/4 "			29.98 lbs	

## PRODUCTS IMAGES



SPECLITE.CA | INFO@SPECLITE.CA | TEL: 1-855-533-8818  
**HEADQUARTER:** 600-1111 BOUL. DR.-FREDERICK-PHILIPS MONTRÉAL, QC H4M 2X6  
**WAREHOUSE:** 1710 AUTOROUTE TRANSCANADIENNE, DORVAL, QC, H9P 2X7