

Projet:	Type:	Qté:
----------------	--------------	-------------

Wrap Light 40-30-20W 120-347V 3500-4000-5000K

The SpecLite Wrap Around features a slim profile and modern design. Ideal for surface or continuous row mounting, it is well-suited for a variety of commercial and residential applications such as utility rooms, corridors, hallways, restrooms, and any area requiring a decorative fixture with efficient lighting. Perfect for retrofit projects, it easily covers old paint lines or marks left by previous fixtures.

CARACTERISTICS

- Power Selectable: 20W / 30W / 40W via dip switch
- CCT Selectable: 3500K / 4000K / 5000K via dip switch
- True universal input: 120-347V
- Mounting Options: Suitable for surface or suspension mounting



NOMENCLATURE

SERIE	DIMENSIONS	LENS	BODY COLOUR	VOLTAGE	CCT	MAX POWER	OPTIONS 1	OPTIONS 2	VER.
WR	04	F	W	F	C	040	M	D	HL
Wrap Light	4ft	frost	white	120-347V	3500-4000-5000K	40-30-20W	1Pin Base	dim 0-10V	HL

PHOTOMETRIC SPECIFICATIONS

LUMENS	6,525
CCT	3500/4000/5000K
ANGLE	120°
C.R.I.	80
DIMMABLE	0-10V DC
PHOTOCELL	N/A
SENSOR	Motion Sensor Receptacle
LUMEN MAINTENANCE L70	50,000 hrs
LED TYPE	SMD2835
LED QTY	480
LED VOLTAGE	68.5V
LED MAX CURRENT	540mA
FLICKER	Not Flicker-Free

MECHANICAL SPECIFICATIONS

HOUSING MATERIAL	Steel
HOUSING FINISH	White

ELECTRICAL SPECIFICATIONS

REAL POWER	45 W
VOLTAGE	120-347V
EFFICIENCY	145 lm/w
POWER FACTOR	90 %
T.H.D	15 %
FREQUENCY	50/60Hz

CERTIFICATIONS

REGULATORY LISTING	cETL
EFFICIENCY LISTING	DLC Premium
DLC ID	S-G2W641
FCC	No
BARCODE	882110008127
ENVIRONMENTAL	IP40
IK PROTECTION	IK06
SURGE PROTECTION WITH GROUNDING	2KV

LENS MATERIAL	Polycarbonate
LENS FINISH	Frost
WEIGHT	2.00 KG
OPERATING TEMP.	-25°C ~ 50°C
APPLICATION	Indoor
INSTALLATION	Surface Mount
CABLE LENGTH	N/A

**SURGE PROTECTION WITHOUT
GROUNDING**

2KV

DIMENSIONS



PACKAGING

DIMENSION INNER CARTON	DIMENSION OUTER CARTON	QUANTITY MASTER	MASTER WEIGHT	PALLET QUANTITY
120.00 cm X 14.20 cm X 6.30 cm	121.50 cm X 29.80 cm X 15.30 cm	4	10.00 kg	84 
47 1/4 " X 5 5/8 " X 2 1/2 "	47 7/8 " X 11 3/4 " X 6 "		22.05 lbs	

PRODUCTS IMAGES



SPECLITE.CA | INFO@SPECLITE.CA | TEL: 1-855-533-8818
HEADQUARTER: 600-1111 BOUL. DR.-FREDERICK-PHILIPS MONTRÉAL, QC H4M 2X6
WAREHOUSE: 1710 AUTOROUTE TRANSCANADIENNE, DORVAL, QC, H9P 2X7