

Projet: **Type:**

Area Light - Slip Fitter bracket

Adjustable Slip Fitter ensures a quick and secure installation of your fixtures, designed for Area Light V3. Built for easy mounting on round poles with a maximum diameter of 2.5 inches, this sturdy accessory allows for stable fixture attachment at the pole's end. It also provides the flexibility needed to adjust the orientation according to your needs, ensuring optimal lighting.



CARACTERISTICS

- Easy mounting: Designed for quick installation on round poles up to 2.5" in diameter.
- Stable mounting: Ensures secure installation at the end of the pole.
- Adjustable orientation: Allows the angle of the lights to be adjusted for optimal illumination.
- Durability: Made with durable materials for reliable outdoor use.

NOMENCLATURE

SERIE	VER.
ZZ	
Accessories	

PHOTOMETRIC SPECIFICATIONS

LUMENS	0
CCT	
ANGLE	
C.R.I.	
DIMMABLE	
PHOTOCELL	
SENSOR	
LUMEN MAINTENANCE L70	
LED TYPE	
LED QTY	
LED VOLTAGE	
LED MAX CURRENT	
FLICKER	

MECHANICAL SPECIFICATIONS

HOUSING MATERIAL	
HOUSING FINISH	
LENS MATERIAL	
LENS FINISH	
WEIGHT	1.67 KG
OPERATING TEMP.	
APPLICATION	Accessory
INSTALLATION	

ELECTRICAL SPECIFICATIONS

REAL POWER	W
VOLTAGE	
EFFICIENCY	lm/w
POWER FACTOR	%
T.H.D	
FREQUENCY	


CERTIFICATIONS

REGULATORY LISTING	
EFFICIENCY LISTING	
DLC ID	
FCC	
BARCODE	882110007069
ENVIRONMENTAL	
IK PROTECTION	
SURGE PROTECTION WITH GROUNDING	
SURGE PROTECTION WITHOUT GROUNDING	

CABLE LENGTH

N/A

DIMENSIONS



PACKAGING

DIMENSION INNER CARTON	DIMENSION OUTER CARTON	QUANTITY MASTER	MASTER WEIGHT	PALLET QUANTITY
10.00 cm X 25.00 cm X 9.00 cm 3 7/8 " X 9 7/8 " X 3 1/2 "	38.00 cm X 26.50 cm X 21.00 cm 15 " X 10 3/8 " X 8 1/4 "	8	13.30 kg 29.32 lbs	400 

PRODUCTS IMAGES

No Product images

SPECLITE.CA | INFO@SPECLITE.CA | TEL: 1-855-533-8818
HEADQUARTER: 600-1111 BOUL. DR.-FREDERICK-PHILIPS MONTRÉAL, QC H4M 2X6
WAREHOUSE: 1710 AUTOROUTE TRANSCANADIENNE, DORVAL, QC, H9P 2X7