

| | | |
|----------------|--------------|-------------|
| Projet: | Type: | Qté: |
|----------------|--------------|-------------|

These drivers are among the most popular transformers for commercial and industrial lighting that require constant current drivers. You will also find a range of Specilite products specifically designed to be fully compatible with these drivers. For any questions or to receive guidance on selecting the ideal driver for your needs, please contact us.



CARACTERISTICS

- -
- -
- -
- -

NOMENCLATURE

| SERIE | VER. |
|-------|------|
| NA | |
| NA | |

PHOTOMETRIC SPECIFICATIONS

| | |
|-----------------------|---|
| LUMENS | 0 |
| CCT | |
| ANGLE | |
| C.R.I. | |
| DIMMABLE | |
| PHOTOCELL | |
| SENSOR | |
| LUMEN MAINTENANCE L70 | |
| LED TYPE | |
| LED QTY | |
| LED VOLTAGE | |
| LED MAX CURRENT | |
| FLICKER | |

MECHANICAL SPECIFICATIONS

| | |
|------------------|---------|
| HOUSING MATERIAL | |
| HOUSING FINISH | |
| LENS MATERIAL | |
| LENS FINISH | |
| WEIGHT | 0.00 KG |
| OPERATING TEMP. | |
| APPLICATION | |

ELECTRICAL SPECIFICATIONS

| | |
|--------------|------|
| REAL POWER | W |
| VOLTAGE | |
| EFFICIENCY | lm/w |
| POWER FACTOR | % |
| T.H.D | |
| FREQUENCY | |

CERTIFICATIONS

| | |
|------------------------------------|--|
| REGULATORY LISTING | |
| EFFICIENCY LISTING | |
| DLC ID | |
| FCC | |
| BARCODE | |
| ENVIRONMENTAL | |
| IK PROTECTION | |
| SURGE PROTECTION WITH GROUNDING | |
| SURGE PROTECTION WITHOUT GROUNDING | |

| | |
|--------------|-----|
| INSTALLATION | |
| CABLE LENGTH | N/A |

DIMENSIONS



PACKAGING

| DIMENSION INNER CARTON | DIMENSION OUTER CARTON | QUANTITY MASTER | MASTER WEIGHT | PALLET QUANTITY |
|------------------------|------------------------|-----------------|---------------------|---|
| N/A | N/A | 0 | 0.00 kg 0.00 lbs | 0  |

PRODUCTS IMAGES

No Product images

SPECLITE.CA | INFO@SPECLITE.CA | TEL: 1-855-533-8818
HEADQUARTER: 600-1111 BOUL. DR.-FREDERICK-PHILIPS MONTRÉAL, QC H4M 2X6
WAREHOUSE: 1710 AUTOROUTE TRANSCANADIENNE, DORVAL, QC, H9P 2X7